

※ 本资料仅供参考，具体参数以实物为准



ZHONGYOU

CHAINSAW BAR



ZHEJIANG ZHONGYOU IMPORT AND EXPORT CO.,LTD

Add: No.7 Jili Road Shushan Street, Xiaoshan, Hangzhou, Zhejiang, China

Tel: 86-571-82367166 82367177

Fax: 86-571-82393000

E-mail: kathyzhu2013@126.com

Http: //www.zhongyoutools.com


PROFESSIONAL GARDEN TOOL
PARTS MANUFACTURER

PROFESSIONAL GARDEN TOOL PARTS MANUFACTURER



contents

About us	1
Quality Guarantee	2
Guide Bar Mount	3
Hard Nose Chainsaw Bar	12
Laminated bar and other types bar	16
Chainsaw chain	17
Brush cutter blade	23
Wrench	27
Guide Parts	32
Chain Breaker & Chain Spinner	32



About us

ZHEJIANG ZHONGYOU is a professional garden tool parts manufacturer that integrated with development, production and trading, our products main include various kinds of chainsaw bars, saw chain, brush cutter blades and other garden tool parts. Remarking for our good quality, reasonable price and cordial service, our products export to Europe, South-America, Africa, South-East Asia and get good eputation in and abroad.


Our company located in Xiaoshan, Hangzhou. Now we have advanced production equipment and perfect testing facilities to ensure the provision of quality,owned domestic advanced laser cutting machine, NC welding machine and so on.We will make use of our strong technical strength and rich industry experience to providing 100 percent high quality products to our customers.

We are looking forward to creating more business opportunity with you!

ZHONGYOU



Quality Guarantee



GUIDE BAR MOUNT


SLD

Stihl; Echo
Oregon Number: E099

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


SN

Stihl; Opem
Oregon Number: D025

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


UHL

Dolmar; Homelite; Husqvarna; Jonsered; Makita; Partner;
Shindaiwa; Mcculloch; Poulan/poulan Pro; Redmax
Oregon Number: A095 K095 A195

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


HV

Dolmar; Husqvarna; Jonsered; Makita; Partner; Shindaiwa; Solo
Oregon Number: D009

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


SW

Stihl; Olympic; Oleo Mac
Oregon Number: A074

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


AIV

Dolmar; Homelite; Husqvarna; Jonsered; Makita; Partner;
Shindaiwa; Mcculloch; Poulan/poulan Pro; Redmax

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT


AT/CV

Dolmar; Echo; Husqvarna; Oleo-mac; Poulan Pro;
Shindaiwa; Tanaka;stihl; Zenoah
Oregon Number: A041

PRODUCT STANDARD

ZHONGYOU

1:1



GUIDE BAR MOUNT

LITHIUM BATTERY GUIDE BAR

PRODUCT STANDARD

ZHONGYOU

1:1




GUIDE BAR MOUNT

AX

PRODUCT STANDARD ZHONGYOU

1:1



Instruction of Hard Nose Bar

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
AS16-H-60	16"	.063/.058	3/8 .325	60 68	
AS18-H-68	18"	.063/.058	3/8 .325	68 76	
AS20-H-72	20"	.063/.058	3/8 .325	72 81	
AS24-H-84	24"	.063	3/8 .325	84 94	
AS30-H-96	30"	.063	3/8 .325	96 108	
AS32-H-106	32"	.063	3/8	106	
AS36-H-114	36"	.063	3/8	114	
AS42-H-126	42"	.063	3/8	126	

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
CSLD25-H-84	25"	.063	.404	84	
CSLD30-H-92	30"	.063	.404	92	
CSLD33-H-100	33"	.063	.404	100	
CSLD36-H-104	36"	.063	.404	104	
CSLD42-H-123	42"	.063	.404	123	
CSLD52-H-155	52"	.063	.404	155	

Instruction of Hard Nose Bar

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
AHV16-H-64	16"	.063/.058	3/8	64	
			.325	72	
AHV18-H-68	18"	.063/.058	3/8	68	
			.325	76	
AHV20-H-72	20"	.063/.058	3/8	72	
			.325	81	
AHV22-H-76	22"	.063/.058	3/8	76	
			.325	86	
AHV24-H-84	24"	.063/.058	3/8	84	
			.325	94	
AHV28-H-93	28"	.063/.058	3/8	92	
			.325	104	
AHV30-H-98	30"	.063/.058	3/8	98	
			.325	110	
AHV36-H-114	36"	.063/.058	3/8	114	
			.325	128	

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
AIV16-H-58	16"	.058	3/8	58	
			.325	66	
AIV18-H-64	18"	.063/.058	3/8	64	
			.325	72	
AIV20-H-68	20"	.063/.058	3/8	68	
			.325	76	
AIV25-H-84	25"	.063/.058	3/8	84	
			.325	94	

Instruction of Hard Nose Bar

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
APOH12-H-50	12"	.058	3/8	50	
			.325	56	
APOH16-H-58	16"	.058	3/8	58	
			.325	65	
APOH18-H-68	18"	.058	3/8	68	
			.325	76	
APOH20-H-72	20"	.058	3/8	72	
			.325	81	
APOH22-H-76	22"	.063	3/8	76	
			.325	86	
APOH25-H-84	25"	.063	3/8	84	
			.325	94	

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
AXV18-X-68-5811T	18"	.058	3/8	68	
		.063	.325	76	
AXV20-X-72-5811T	20"	.058	3/8	72	
		.063	.325	81	
AEX18-X-66-5811T	18"	.058	3/8	66	
		.063	.325	74	

Instruction of Hard Nose Bar

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
AT8-H-54	8"	.050	1/4	54	
AT10-H-60	10"	.050	1/4	60	
AT12-H-64	12"	.050	1/4	64	
AT14-H-76	14"	.050	1/4	76	
AT16-H-86	16"	.050	1/4	86	

MODEL NUMBER	BAR	GAUGE	PITCH	LINK	PICTURE
ASW12-H-60	12"	.050	1/4	60	
ASW16-H-55	16"	.058	3/8	55	
ASW18-H-60	18"	.058	3/8	60	
ASW20-H-66	20"	.058	3/8	66	

Laminated Guide Bar

Product Name: Chainsaw guide bars from 10" to 28"
Pitch: 3/8" and .325"
Gauge: .050" .058" .063"
Length: 10" 11" 12" 13" 14" 15" 16" 17" 18" 20" 22" 24" 28"
Body Material: 65MN/60Si2Mn
Feature: 9T (4 rivets) the mini max bar with 3/8 low-profile chains (10"/12"/14"/16"/18")
10T (4 rivets) the mini max bar with .325" chains (10"/12"/14"/16"/18")
11T & 12T for larger professional saws (13"/15"/16"/17"/18"/20"/22"/24"/28")
Fit for: Be suitable or mini max bar chain saws, with A041/A074/A318 bar mount, for large professional chain saws, K095, D025 D009, D025, D176, D024, bar mount.



Lithium Battery Guide Bar

Product Name: lithium battery bar
Pitch: MINI 1/4"
Gauge: .043"
Length: 4", 5", 6"
Body Material: 65MN
Size: as customer request
Suitable machine: for garden and home use chain saws.



Harvest Bar

Length: 100CM / 122CM
Body Material: 65MN




Instruction of Chain's Part No.



A50-SB-53



 PITCH	 GAUGE	 CUTTER	 TYPE	 LINKS
A=3/8" A'=3/8"LP B=.325" C=.404" D=1/4" D'=Mini1/4"	43=.043" 50=.050" 58=.058" 63=.063" 80=.080"	S=SEMI CHISEL F=FULL CHISEL	B=BUMPER LINK	53

ZHONGYOU Item	OREGON Item	ZHONGYOU Item	OREGON Item	ZHONGYOU Item	OREGON Item
A-50SB	72DPX	A'-50SB	91PX	B-58FB	21LPX
A-50SN	72DGX	A'-50SN	91VX	B-58FN	21LPX
A-58SB	73DPX	A'-43FB		B-63FB	22LPX
A-58SN	73DGX	A'-43FN		B-63FN	22LPX
A-63SB	75DPX	A'-50FB		C-63SN	27X
A-63SN	75DGX	A'-50FN		C-80SN	18HX
A-50FB	72LPX	B-50SB	20BPX	C-63FN	59L
A-50FN	72LGX	B-50SN	20BPX	C-80FN	59L
A-58FB	73LPX	B-58SB	21BPX	D-43SN	25A
A-58FN	73LGX	B-58SN	21BPX	D-50SN	25F
A-63FB	75LPX	B-63SB	22BPX	D'-43SB	25A
A-63FN	75LGX	B-63SN	22BPX	D'-43SN	25A
A'-43SB	90PX	B-50FB	20LPX		
A'-43SN	90VX	B-50FN	20LPX		

3/8" .050" .058" .063" Semi Chisel Chain

Product Name:	3/8" .050" .058" .063" Chain Saw Chain
ZHONGYOU Item:	A-50SB / A-50SN / A-58SB / A-58SN / A-63SB / A-63SN
OREGON Item:	72DPX / 72DGX / 73DPX / 73DGX / 75DPX / 75DGX
Cutter Type:	Semi-Chisel / Round
Link Type:	with / without bumper link
Recommended Bar Length:	15"-36" (38-91CM)
Recommended Saw Size:	3.0-6.0cu.in (30-91cc)
File Size:	5.5MM / 7/32"
Material:	65Mn
Package Type:	loop or roll (25 feet to 100 feet)



3/8" .050" .058" .063" Full Chisel Chain

Product Name:	3/8" .050" .058" .063" Chain Saw Chain
ZHONGYOU Item:	A-58FB / A-58FN / A-63FB / A-63FN
OREGON Item:	72LPX / 72LGX / 73LPX / 73LGX / 75LPX / 75LGX
Cutter Type:	Full-Chisel / Square
Link Type:	with / without bumper link
Recommended Bar Length:	15" -36" (38-91CM)
Recommended Saw Size:	3.0-6.0cu.in (30-91cc)
File Size:	5.5MM / 7/32"
Material:	Gcr15 / 65Mn / 68CrNiMo
Package Type:	loop or roll (25 feet to 100 feet)



3/8" Low Profile .050" .043" Semi Chisel Chain

Product Name: 3/8" LP .050" .043" Chain Saw Chain
ZHONGYOU Item: A'-43SB / A'-43SN / A'-50SB / A'-50SN
OREGON Item: 90PX / 90VX / 91PX / 91VX
Cutter Type: Semi-Chisel / Round
Link Type: with / without bumper link
Recommended Bar Length: Up to 18" (45cm)
Recommended Saw Size: Up to 2.5cu.in(41cc)
File Size: 4.5MM / 11/64", 4.0MM / 5/32"
Material: 65Mn
Package Type: Loop or roll (25 feet to 100 feet)



.325" .050" .058" .063" Semi Chisel Chain

Product Name: .325" .050" .058" .063" Chain Saw Chain
ZHONGYOU Item: B-50SB / B-50SN / B-58SB / B-58SN / B-63SB / B-63SN
OREGON Item: 20BPX / 21BPX / 22BPX
Cutter Type: Semi-Chisel / Round
Link Type: with / without bumper link
Recommended Bar Length: 12"-28" (30-70CM)
Recommended Saw Size: 2.3-3.8cu.in (38-62cc)
File Size: 4.8MM / 3/16"
Material: 65MN
Package Type: loop or roll (25 feet to 100 feet)



3/8" Low Profile .050" .043" Full Chisel Chain

Product Name: 3/8" LP .050" .043" Chain Saw Chain
ZHONGYOU Item: A'-43FB / A'-43FN / A'-50FB / A'-50FN
OREGON Item:
Cutter Type: Full-Chisel / Square
Link Type: with / without bumper link
Recommended Bar Length: Up to 18" (45cm)
Recommended Saw Size: Up to 2.5cu.in(41cc)
File Size: 4.5MM / 11/64", 4.0MM / 5/32"
Material: Gcr15 / 65Mn / 68CrNiMo
Package Type: Loop or roll (25 feet to 100 feet)



.325" .050" .058" .063" Full Chisel Chain

Product Name: .325" .050" .058" .063" Chain Saw Chain
ZHONGYOU Item: B-50FB / B-50FN / B-58FB / B-58FN / B-63FB / B-63FN
OREGON Item: 20LPX / 21LPX / 22LPX
Cutter Type: Full-Chisel / Square
Link Type: with / without bumper link
Recommended Bar Length: 12" -28" (30-70CM)
Recommended Saw Size: 2.3-3.8cu.in (38-62cc)
File Size: 4.8MM / 3/16"
Material: Gcr15 / 65Mn / 68CrNiMo
Package Type: loop or roll (25 feet to 100 feet)



.404" .063" Full Chisel Chain

Product Name: .404" .063" Chain Saw Chain
ZHONGYOU Item: C-63FN / C-80FN
OREGON Item: 59L
Cutter Type: Full-Chisel / Square
Link Type: without bumper link
Recommended Bar Length: 20" (50CM) and longer
Recommended Saw Size: 4.0cu.in(65cc) and large
File Size: 5.5MM / 7/32"
Material: Gcr15 / 65Mn / 68CrNiMo
Package Type: loop or roll (25 feet to 100 feet)



.404" .063" Semi Chisel Chain

Product Name: .404" .063" Chain Saw Chain
ZHONGYOU Item: C-63SN / C-80SN
OREGON Item: 27X / 18HX
Cutter Type: Semi-Chisel / Round
Link Type: without bumper link
Recommended Bar Length: 20"(50CM) and longer
Recommended Saw Size: 4.0cu.in(65cc) and large
File Size: 5.5MM / 7/32"
Material: Gcr15 / 65Mn / 68CrNiMo
Package Type: loop or roll (25 feet to 100 feet)



Pitch 1/4" .043" .050" Chain

Product Name: 1/4" / .043" / .050" Chain
ZHONGYOU Item: D-43SN / D-50SN
OREGON Item: 25A / 25F
Cutter Type: Semi-Chisel / Round
Link Type: without bumper link
Recommended Bar Length: Up to 16"(40cm)
File Size: 4.0MM / 5/32"
Material: 65MN
Package Type: loop or roll (25 feet to 100 feet)



Mini 1/4" .043" Chain

Product Name: Mini 1/4" / .043" Chain
ZHONGYOU Item: D'-43SB/D'-43SN
OREGON Item: 25A
Cutter Type: Semi-Chisel / Round
Link Type: without bumper link
Recommended Bar Length: 4" / 5" / 6"
File Size: 4.0MM / 5/32"
Material: 65MN
Package Type: loop or roll (25 feet to 100 feet)



Brush Cutter Blade

ZY01



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY0101	255	2	25.4	1.4
ZY0102	255	2	25.4	1.6
ZY0103	255	2	25.4	2.0
ZY0104	305	2	25.4	1.4
ZY0105	305	2	25.4	1.6
ZY0106	305	2	25.4	2.0
ZY0107	355	2	25.4	1.4
ZY0108	355	2	25.4	1.6
ZY0109	355	2	25.4	2.0

ZY02



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY0201	255	2	25.4	1.4
ZY0202	255	2	25.4	1.6
ZY0203	255	2	25.4	2.0
ZY0204	305	2	25.4	1.4
ZY0205	305	2	25.4	1.6
ZY0206	305	2	25.4	2.0
ZY0207	355	2	25.4	1.4
ZY0208	355	2	25.4	1.6
ZY0209	355	2	25.4	2.0


ZY10



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1001	225	3	25.4	1.4
ZY1002	225	3	25.4	1.6
ZY1003	225	3	25.4	1.8
ZY1004	255	3	25.4	1.4
ZY1005	255	3	25.4	1.6
ZY1006	255	3	25.4	2.0

Brush Cutter Blade

ZY07



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY0701	225	3	25.4	1.4
ZY0702	225	3	25.4	1.6
ZY0703	255	3	25.4	1.4
ZY0704	255	3	25.4	1.6

ZY08




SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY0801	225	3	25.4	1.4
ZY0802	225	3	25.4	1.6
ZY0803	255	3	25.4	1.4
ZY0804	255	3	25.4	1.6

ZY11



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1101	255	3	25.4	1.8
ZY1102	255	3	25.4	2.0
ZY1103	270	3	25.4	1.8
ZY1104	270	3	25.4	2.0

ZY14



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1401	255	4	25.4	1.6
ZY1402	255	4	25.4	1.8

Brush Cutter Blade

ZY15




SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1504	225	4	25.4	1.4
ZY1505	255	4	25.4	1.4
ZY1506	255	4	25.4	1.6

ZY16




SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1601	255	4	25.4	1.6
ZY1602	255	4	25.4	1.8

ZY19




SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY1901	230	8	25.4	1.4
ZY1902	230	8	25.4	1.6
ZY1903	230	8	25.4	1.8
ZY1904	255	8	25.4	1.6
ZY1905	255	8	25.4	1.8

ZY25



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY2501	255	40	25.4	1.6
ZY2502	255	40	25.4	1.8


ZY26



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY2601	255	80	25.4	1.6
ZY2602	255	80	25.4	1.8

Brush Cutter Blade

ZY30



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY3001	230	36	25.4	1.3
ZY3002	255	40	25.4	1.3

ZY31



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY3103	230	36	25.4	1.3
ZY3104	255	40	25.4	1.3

ZY32




SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY3201	230	36	25.4	1.3
ZY3202	255	40	25.4	1.3

ZY33



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY3301	230	36	25.4	1.3
ZY3302	255	40	25.4	1.3

ZY34



SPECIFICATION NO.	DIAMETER	TEETH	BORE	THICKNESS
ZY3401	230	36	25.4	1.3
ZY3402	255	40	25.4	1.3

Wrench



13x19 Series

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1319-001	13	19	22	70	7.5	160	Flat/Blade
ZY1319-002	13	19	22	56	6.3	126	Flat/Blade
ZY1319-003	13	19	22	70	7.5	160	Slotted
ZY1319-004	13	19	22	60	7.5	160	Slotted
ZY1319-005	13	19	22	55	7.5	160	Slotted
ZY1319-006	13	19	22	76	7.5	160	Slotted
ZY1319-007	13	19	22	86	7.5	140	Slotted
ZY1319-008	13	19	22	55	7.5	165	Slotted
ZY1319-009	13	19	22	80	7.5	200	Slotted
ZY1319-010	13	19	22	70	7.5	130	Slotted
ZY1319-011	13	19	22	70	7.5	180	Slotted
ZY1319-012	13	19	22	40	6.3	115	Slotted
ZY1319-013	13	19	22	55	6.8	113	Slotted
ZY1319-014	13	19	22	70	6.8	130	Slotted
ZY1319-015	13	19	22	68	7.5	160	Phillips/Cross
ZY1319-016	13	19	22	68	6.8	130	Phillips/Cross
ZY1319-017	13	19	22	68	6.3	130	Phillips/Cross
ZY1319-018	13	19	22	80	7.5	200	Torx27
ZY1319-019	13	19	22	76	7.5	190	Torx27
ZY1319-020	13	19	22	70	7.5	190	Torx27
ZY1319-021	13	19	22	56	6.3	126	Torx25

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1319-022	13	19	19	70	6.3	140	Flat/Blade
ZY1319-023	13	19	19	70	6.8	120	Flat/Blade
ZY1319-024	13	19	19	90	7.5	160	Flat/Blade
ZY1319-025	13	19	19	60	6.3	140	Flat/Blade
ZY1319-026	13	19	19	80	6.3	140	Flat/Blade
ZY1319-027	13	19	19	70	7.5	160	Flat/Blade
ZY1319-028	13	19	19	76	7.5	160	Flat/Blade
ZY1319-029	13	19	19	70	7.5	130	Flat/Blade
ZY1319-030	13	-	19	50	6.3	140	Flat/Blade
ZY1319-031	13	19	19	70	7.5	180	Flat/Blade
ZY1319-032	13	19	19	75	6.3	160	Flat/Blade
ZY1319-033	13	19	19	70	6.3	140	Phillips/Cross
ZY1319-034	13	19	19	70	7.5	180	Phillips/Cross
ZY1319-035	13	19	19	100	6	147	Phillips/Cross
ZY1319-036	13	19	19	55	6.8	113	Slotted
ZY1319-037	13	19	19	70	7.5	160	Slotted
ZY1319-038	13	19	19	70	6.8	140	Slotted
ZY1319-039	13	19	19	60	6.8	120	Torx25



13x16 Series

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1316-001	13	16	19	50	6.8	113	Slotted
ZY1316-002	13	16	19	50	6.8	105	Slotted
ZY1316-003	13	16	19	100	6.8	160	Slotted
ZY1316-004	13	16	19	70	6.3	140	Slotted
ZY1316-005	13	16	19	90	6.3	140	Slotted
ZY1316-006	13	16	19	70	6.3	160	Slotted

Wrench

19x21 Series



Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1921-001	19	21	22	70	7.5	160	Slotted
ZY1921-002	19	21	22	80	7.5	160	Slotted
ZY1921-003	19	21	22	85	7.5	160	Slotted
ZY1921-004	19	21	22	85	7.5	160	Flat/Blade
ZY1921-005	19	21	22	80	9.4	140	Square
ZY1900-006	19	-	22	50	7.5	160	Flat/Blade
ZY1900-007	19	-	22	50	7.5	160	Torx27
ZY1900-008	19	-	22	50	7.5	190	Torx27



16x19 Series

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1619-001	16	19	22	100	7.5	160	Slotted
ZY1619-002	16	19	22	72	8	190	Torx27
ZY1619-003	16	19	22	98	9	190	Torx27
ZY1619-004	16	19	22	100	7.5	160	Phillips/Cross
ZY1619-005	16	19	22	80	7	140	Slotted
ZY1619-006	16	19	19	70	6.3	140	Phillips/Cross
ZY1619-007	16	19	19	95	6.3	140	Phillips/Cross
ZY1619-008	16	19	19	70	6.3	140	Flat/Blade

Wrench

17X19 Series

17X21 Series



Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1719-001	17	19	22	68	6.3	140	Flat/Blade
ZY1719-002	17	19	22	68	7.5	140	Flat/Blade
ZY1719-003	17	19	22	68	7.5	160	Flat/Blade
ZY1719-004	17	19	22	50	7.5	160	Flat/Blade
ZY1719-005	17	19	22	68	6.3	140	Phillips/Cross
ZY1719-006	17	19	22	68	7.5	180	Phillips/Cross
ZY1719-007	17	19	22	68	7.5	160	Phillips/Cross
ZY1719-008	17	19	22	100	6	154	Phillips/Cross
ZY1719-009	17	19	22	68	7.5	160	Torx27
ZY1719-010	17	19	22	68	6.8	120	Torx27
ZY1719-011	17	19	22	85	6.8	120	Torx25
ZY1719-012	17	19	22	68	7.5	180	Flat/Blade
ZY1719-013	17	19	22	68	7.5	160	Slotted
ZY0019-001	-	19	22	50	7.5	160	Flat/Blade
ZY0019-002	-	19	22	50	7.5	190	Torx27
ZY0019-003	-	19	22	50	7.5	160	Torx27
ZY1721-001	17	21	22	68	7.5	160	Slotted
ZY1721-002	17	21	22	68	7.5	160	Flat/Blade

Wrench without shank Series

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Type
ZY1621-001	16	21	22	300	Customization
ZY1621-002	16	21	22	160	Customization
ZY1621-003	16	21	22	180	Customization



Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Type
ZY1621-006	19	21	22	100	Customization
ZY1619-009	16	19	19	65	Customization
ZY1317-001	13	17	19	50	Customization
ZY1719-014	17	19	22	80	Customization
ZY1600-001	16	-	19	110	Customization
ZY2100-001	21	-	22	160	Customization
ZY1016-002	10	16	19	180	Customization
ZY2100-002	21	-	22	70	Customization


Wrench



Special Series

Product No.	Wrench Head I (mm)	Wrench Head II (mm)	Sleeve Diameter (mm)	Sleeve Length (mm)	Shank Diameter (mm)	Shank Length (mm)	Screwdriver Type
ZY1019-001	10	19	19	70	6.8	120	Flat/Blade
ZY1019-002	10	19	19	70	7.5	130	Flat/Blade
ZY1019-003	10	19	19	70	7.5	140	Flat/Blade
ZY1012-001	10	12	16	80	6.3	140	Phillips/Cross
ZY1016-001	10	16	19	90	6.8	140	Slotted
ZY1000-001	10	-	16	60	4.8	120	Torx25
ZY1116-001	11	16	19	70	6.3	140	Flat/Blade
ZY1116-002	11	16	19	70	7.5	140	Flat/Blade
ZY1116-003	11	16	19	90	6.8	140	Slotted
ZY1116-004	11	16	19	70	7.5	140	Slotted
ZY1419-001	14	19	19	72	6.3	126	Flat/Blade
ZY1419-002	14	19	19	70	6.3	140	Flat/Blade
ZY1419-003	14	19	19	70	6.3	160	Flat/Blade
ZY1617-001	16	17	19	70	6.3	140	Flat/Blade
ZY1617-002	16	17	19	100	6	154	Flat/Blade
ZY1617-003	16	17	19	70	6.3	140	Phillips/Cross
ZY1617-004	16	17	19	70	6.8	130	Phillips/Cross

Guide Parts



Chain Breaker & Chain Spinner

